

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in this application:

1. (currently amended): Nitrogen oxide storage catalyst applied in the form of a coating to an inert honeycomb made of ceramic or metal comprising: wherein the ~~nitrogen oxide storage catalyst contains~~ platinum as an oxidation-active component on a first support material comprising and a nitrogen oxide storage material comprising at least one nitrogen oxide storage component on a homogeneous magnesium-aluminium mixed oxide having a magnesium oxide content of from 1 to 40% by weight, based on the total weight of the Mg-Al mixed oxide of the first support material; and at least one nitrogen oxide storage component on a second support material comprising Mg-Al mixed oxide doped with rare earth oxides as support material, with the magnesium-aluminium mixed oxide and containing from 1 to 30% by weight of magnesium oxide, based on the total weight of the ~~magnesium-aluminium mixed oxide~~, wherein the ~~nitrogen oxide storage catalyst further contains a homogeneous magnesium-aluminium mixed oxide of the second support material.~~
2. (currently amended): Nitrogen oxide storage catalyst according to Claim 1, characterized in that the nitrogen oxide storage component supported on magnesium-aluminium mixed oxide is based on oxides, carbonates or hydroxides of barium and/or strontium ~~rare earth oxides comprise oxides of elements selected from the group consisting of cerium, praseodymium, neodymium, lanthanum, samarium and mixtures thereof.~~

3. (currently amended): Nitrogen oxide storage catalyst according to Claim 1 ~~[[2]]~~, characterized in that the rare earth oxides comprise oxides of elements selected from the group consisting of cerium, oxide and/or praseodymium oxide, neodymium, samarium and mixtures thereof.
4. (currently amended): Nitrogen oxide storage catalyst according to Claim ~~[[1]]~~ 3, characterized in that the rare earth oxides are cerium oxide and/or praseodymium oxide ~~nitrogen oxide storage components comprise oxides, carbonates or hydroxides of elements selected from the group consisting of magnesium, calcium, strontium, barium, the alkali metals and mixtures thereof.~~
5. (currently amended): Nitrogen oxide storage catalyst according to Claim 1, characterized in that the homogeneous Mg-Al mixed oxide of the nitrogen oxide storage component support material contains from 5 to 15% by weight of rare earth oxides, based on the total weight of the second support material.
6. (cancelled)
7. (cancelled)
8. (currently amended): Nitrogen oxide storage catalyst according to Claim ~~[[5]]~~ 1, characterized in that it additionally contains palladium.
9. (currently amended): Nitrogen oxide storage catalyst according to Claim ~~[[5]]~~ 1, characterized in that it additionally contains rhodium on aluminium oxide.
10. (original): Nitrogen oxide storage catalyst according to Claim 8, characterized in that it additionally contains rhodium on aluminium oxide.
11. (cancelled)

12. (cancelled)

13. (currently amended): Nitrogen oxide storage catalyst according to Claim [[11]]  
15, characterized in that the catalyst contains from 5 to 10% by weight of nitrogen oxide  
storage components, calculated as oxide and based on the total weight of the catalyst  
material.

14. (cancelled)

15. (New): Nitrogen oxide storage catalyst according to claim 1 characterized in that  
the catalyst contains 3 to 25% by weight of nitrogen oxide storage components calculated  
as oxide and based on the total weight of the catalyst material.